## **SPECIAL LIQUIDATION SALE!**

## December 3, 2018

We are pleased to offer the following equipment for immediate sale just acquired from a major manufacturer in Worcester, MA. Most equipment is *still installed* and will be available to ship direct from current site. Follow the Inventory Number Hyperlink to see photos and further details. Call (860-583-4646) or email (<a href="mailto:info@wireandplastic.com">info@wireandplastic.com</a>) to get detailed quotations and/or to arrange onsite viewing.

## **HIGHLIGHTS:**

- Rosendahl Skin Foam Skin (45mm/30mm/18mm) High Temp Extrusion Line, Year 2009
- Davis Standard 4.5" Extrusion Line, Accumulators, 48" Bartell Belt Cat
- Watson 16" 37W (1+6+12+18) Planetary Cabling Line, Year 1999
- Dynamex 30" Single Twist Cablers (2), 2 Concentric Tapeheads, 2 24" Dual Payoffs
- Dynamex 36" Single Twist Cabler Line with 16" Payoff Neutralizer, Multi Payoffs
- EJR Single, Dual and Triple Head Taping Lines, Photoeye Tensioning
- Kinrei 560mm Double Twist Twinners, Dual Payoffs (6)
- Nanyang 16 and 24 Carrier Wire Braiders, 800mm Payoff/Takeup
- Demar Dual Head Taping Lines (5)

BRD500 – Nanyang 24 Carrier Model GSB-2 Wire Braiders (Spirka Style), 100 rpm, 800mm PO/TU – 16 available

BRD501 – Nanyang 16 Carrier Model GSB-1A Wire Braiders (Spirka Style), 150 RPM, 800mm PO/TU – 30 available

<u>CBR1316</u> – **Dynamex** 30" Single Twist Cabling Line, Model STC-30TRW (800 RPM), (2) Dual Shaft Driven Payoffs (Spring Load Dancers), (2) 14" **Demar** Concentric Tapers, Left to Right

<u>CBR1316.1</u> – **Dynamex** 30" Single Twist Cabling Line, Model STC-30TRW (800 RPM), (2) Dual Shaft Driven Payoffs (Multi Wrap Dancers), (2) 14" **Demar** Concentric Tapers, Left to Right

<u>CBR1317</u> – **Watson** 16" Planetary Cabling Line 1+6+12+18, Shaft Type Cradles, Magnetek Brakes, (2) Concentric Tape Heads, **Wyrepak** Drain Wire Server, 36" **Watson Peachtree** Dual Capstan, Catenary Arm Dancer, **AFA** 60" Portal Takeup, Right to Left, year 1999

<u>CBR1318</u> – **Webster** 30" Rotating Takeup (shaft style) RR8.30, L&B Dual Wheel Rotating Capstan, Concentric Taper, 6 position Payoff with Permanent Magnet Brakes, Right to Left

CBR1319 – Dynamex 30" Single Twist Cabler, STC-30, Electronic Lay Control, 800 RPM – 2 available

CBR1320 – Custom Built 30" Drum Twister, Shaft Type

<u>CBR1321</u> – **NEWMCO** 36" Drum Twister, Shaftless, Screw Traverse, 18" 4 position Payoff Neutralizer (shaft type), DC Motors

- CBR1322 Webster 22" Double Twist Twinner, Model DTW-22 2 available
- CBR1323 TEC 22" Double Twist Twinner, Model DTCA-560 3 available
- CBR1324 Northampton 560mm Double Twist Twinner, Model B560
- <u>CBR1325.1</u> **Watson-Kinrei** 560mm Double Twist Twinner, Model NB-560, Dual Capstan, Loading/Unloading, Uhing Traverse, 3000 RPM, with Dual Driven Shaftless Payoffs, Year 1995-2000 6 available
- <u>CBR1326</u> **Dongguan Qing Feng Electrical Machine** 12" Planetary Cabling Line, 12W 6+6, Shaftless Cradles, Electric Brakes with Load Cell Feedback, Concentric Taping Head, 24"/22" Dual Capstan, 30" Traversing Reel Takeup, Yaskawa Drives, Siemens PLC
- <u>CBR1327</u> **Dynamex**, 36" Single Twist Cabling Line with USM Concentric Taper, Dual Longitudinal Tape Payoff, (2) **Watson** Dual Driven Payoffs, Entwistle 16" Neutralizer Payoff, Reliance Flex Pak Drive
- <u>CBR1328</u> **WMCA** 42" Cord Twister, Closed cradle, Shaft Type, Change Gears, NEW AC Vector Main Rotor Motor, NEW Electrical Cabinet, NEW Parker AC Vector Drives, NEW Allen Bradley Micrologic PLC, NEW Allen Bradley Panelview Plus Touchscreen, Multiple Position Shaft Payoff, Concentric Taper
- EXP1371 Davis Standard 1.5", 24:1 L/D Extruder, Model 15IN DS-20, Baldor 15 HP Motor
- EXPL436 MPM 1 1/2", 24:1 L/D Extrusion Line with Hopper and Loader, Watson 30" Shaftless Payoff, 6' Vertical Dancer, 12" Dual Driven Capstan, Roots Tech Preheater, Reliance DC Drive, Trough, Clinton Spark Tester, Webster 24" Dual Parallel Axis Shaft Type Takeup (Traversing Frame)
- EXPL437 Rosendahl High Temp Gas Injection Foam Extrusion Line, 630 mm Liembach Shaftless Driven Payoff,. Vertical Tensioning Dual Wheel Capstan, Wire Calibration and Cleaning Stand. Beta MSC190L Preheater, 45mm *High Temp* Gas Injection Extruder, 36:1 L/D, Maximator Gas Injection and dosing system, 30mm *High Temp* Co-Extruder, 24:1 L/D, Plasticolor 2200 Dual Colormeter. 18mm Gimac Vertical *Hi Temp* Vertical Stripe Extruder, Labotech Loaders and Colormeters, Woywood Mixing and Dosing Unit, Eurocarb Extrusion Head, Cooling Trough, 300mm (12") 10 pass Multipass Capstan, Air Wipe. Sikora Centerview 8101, (2) Sikora Dual Axis Diameter Gauges, Sikora High Frequency Spark Tester, Sikora 2010 Capacitance Monitor, TRS250 Accumulator with Deflection Pulley, 1m DSL-1001 Dual Parallel Axis, Shaftless Takeup, Rosendahl Rio Intouch Line Controls, Year 2009, STILL INSTALLED
- EXPL438 Davis Standard 4 1/2" Extrusion Line: (2) 48" Shaftless Drag Payoffs 19' High 10x11, 16" Sheaves Payoff Accumulator. 24" Farris Metering Caterpuller, 4 1/2" Davis Standard Extruder, Thermatic II, 24:1 L/D, Hopper Loader, Wilson Colormeter, Reliance DC motor, Temperature and Drive Control panel. Crosshead. Water Trough, 20" Multipass Capstan, 48" Bartell Belt Caterpuller, 19' High 10x11, 18" Sheaves Takeup Accumulator, (2) 48" Shaftless Takeups, Left to Right
- EXPL439 Dongguan Qing Feng Electrical Machine 35mm/25mm *Hi Temp* Co-Extrusion Line: 20" Shaftless Driven Payoff w/Dancer, Online Preheater, 35 mm *Hi Temp* Extruder 24:1 L/D, 25 mm *Hi Temp* Portable Co Extruder 24:1 L/D, *Hi-Temp* Crossheads, Unadyn Compound Dryer with Hopper, Conair Hopper Loader, Water Trough with Air Wipe, Clinton Spark Tester, 12" (300 mm) Belt Wrap Capstan, Motorized Fine Wire Dancer, 30" Dual Shaft Type Takeup, Yaskawa Servo Drives (NEW, NEVER INSTALLED)
- <u>EXPL440</u> **Royle** 2" Extrusion Line: 30" Dual Payoff, **Viteck** Vertical Dancer, 2" **Royle** Extruder, 24:1 L/D, DC drives, 18" Belt Wrap Capstan, Dual Parallel Shaft Takeup
- <u>EXPL441</u> **Royle** 2" Extrusion Line, 24:1 L/D, with (2) **TEC** Dual Driven Payoffs, **Gatto** Belt Caterpuller, Dual Parallel Shaft Takeup, DC drives

- EXPL442 Berlyn Extrusion Filler Line: 1", 24:1 Berlyn Extruder, Screw, Crosshead, Water Trough, Two Wheel Puller
- EXPL443 Royle 2 1/2", 24:1 L/D Extrusion Line with Preheater, Flyer Cone Payoff, 24" AFA Dual Capstan, Dual Shaftless Parallel Axis Takeup, Vertical Dancer, DC motors (Disassembled)
- Rewinder, Model DSTU-24 with Independent Amacoil traverses, **EJR** Belt Type Counter. **Clinton** Spark Tester. Allen Bradley Panel View 600 Touch Screen
- <u>STP097</u> **Huestis** Cut/Strip Line: 50" Drag Shaft Payoff, Counter, BJS046 and BJS1000 Strippers, 50" Shaft Tension Takeup
- <u>STR055</u> **Formulabs** Codemaster Spiral Striping Line Model 640 E/F with Clinton Spark Tester, 5' Vertical Oven and 24" Payoff/Takeup 3 available
- <u>TPR383</u> **EJR** Dual Head Taping Line using Traverse Wound Tape Pads, 3500 RPM Head Speed, Photoeye Tension Feedback, Comtrex M-Trim Controller, (2) Shaft Type Driven Payoffs, Independently Driven Head and Capstans, 18" Belt Caterpuller, 30" Shaft Type Traversing Takeup, AC Vector drives, year 2011
- <u>TPR384</u> **Nanyang** Dual Concentric Taping Lines with (3) Payoffs, Dual Capstan 16" Traversing Takeup 4 available
- <u>TPR385</u> **EJR** Triple Head Concentric Taping Line using Traverse Wound Tape Pads, 3500 RPM Head Speed, Photoeye Tension Feedback, Comtrex M-Trim Controller, (2) Watson Dual Shaft Driven Payoffs, 3 Rad Round Heaters, Independently Driven Head and Capstans, 18" Belt Caterpuller, 30" Shaft Type Traversing Takeup, year 2011
- <u>TPR386</u> **Demar** 18" Dual Concentric Taping Line with Dual Capstan and 30" Shaft Takeup 3 available
- <u>TPR387</u> **EJR** Dual Head Taping Line using Traverse Wound Tape Pads, 3500 RPM Head Speed, Photoeye Tension Feedback, Comtrex M-Trim Controller, (2) 30" Shaft Type Drag Payoffs, Independently Driven Head and Capstans, 18" Caterpuller, 30" Shaft Type Traversing Takeup, Variable Speed Drives, year 2011
- TPR388 EJR Dual Head Concentric Taping Line Model 200E-DHT, 3500RPM Max Head Speed with 18" Belt Caterpuller, 30" Shaft Type Traversing Takeup; Pitch: 0.5mm 40mm Adjustable in 0.01mm steps, Tape Type: PTFE, Mica, Paper, Metal Laminated, Polyester, Kapton, Nomex Tape Width: 2 25 mm, Tape Thickness: 0.025 0.076 mm, Max Tape Pad Diameter: 140 305 mm, Bore Diameter: 76 78 mm, Max Weight: 2 9 kg, Tape Tension: 1 40 N, Adjustable Overlapping: 5 70%
- <u>TPR389</u> **Dongguan Qing Feng Electrical Machine** Dual Concentric Taping Line (Heads Disassembled) with Caterpuller, 20" Traversing Takeup, Heater, Freezer 2 available
- <u>TPR389.2</u> **Dongguan Qing Feng Electrical Machine** Single Concentric Taping Line with Caterpuller, 20" Traversing Takeup, Heater, Freezer 2 available
- TPR390 Demar 18" Dual Concentric Taping Line with Dual Capstan and 30" Shaft Takeup
- TPR390.1 Demar 18" Dual Concentric Taping Line with Dual Capstan, Heater and 30" Shaft Takeup
- <u>TPR391</u> **USM** Single Head Taping Line using Traverse Wound Tape Pads, (2) 30" Shaft Type Drag Payoffs, Dual Wheel capstan, 30" Shaft Type Takeup
- MSC2629 PTR Baler and Compactor, Model 5000HD
- TST933 Hipotronics Hi Voltage Testers ATS 10/20 with Dual Safety Guarded Testing Stations (2)

TST933.1 - Hipotronics Hi Voltage Testers ATS1020F221BR with Dual Safety Guarded Testing Stations

Leibinger JET3-UP and IMAJE 9040 Inkjet Printers

Stretch Wrapper

Reels - 22"/30"/42"/48"

**Wire & Plastic Machinery Corporation** has the largest inventory of second-hand machinery for the wire, cable and optical fiber industries. We are the one stop shop for all your equipment needs. More details are available on <a href="https://www.wireandplastic.com">www.wireandplastic.com</a>.

Wire & Plastic Machinery Corp. 100 Franklin Street, Bristol, CT 06010 Tel: +1-860-583-4646

\*To Unsubscribe, please direct reply to this email and add REMOVE to the Subject line







