



Wire & Plastic Machinery is constantly adding high quality wire and cable equipment to our Inventory.
Equipment Sales | Equipment Purchasing | Reconditioning Services

SPECIAL LIQUIDATION SALE!

February 1, 2019

We are pleased to offer the following equipment for immediate sale recently acquired from a major manufacturer in Worcester, MA. Some equipment is ***still installed*** and all will be available to ship direct from current site. Follow the Inventory Number Hyperlink to see photos and further details. Call (860-583-4646) or email (info@wireandplastic.com) to get detailed quotations and/or to arrange onsite viewing.

HIGHLIGHTS:

- Rosendahl Skin Foam Skin (45mm/30mm/18mm) High Temp Extrusion Line, Year 2009
- Dynamex 30" Single Twist Cablers (2), 2 Concentric Tapeheads, 2 24" Dual Payoffs
- Dynamex 36" Single Twist Cabler Line with 16" Payoff Neutralizer, Multi Payoffs
- EJR Single, Dual and Triple Head Taping Lines, Photoeye Tensioning
- Kinrei 560mm Double Twist Twinners, Dual Payoffs (6)
- Nanyang 16 Carrier Wire Braiders, 800mm Payoff/Takeup
- Demar Dual Head Taping Lines (4)

BRAIDERS:

[BRD501](#) – Nanyang 16 Carrier Model GSB-1A Wire Braiders (Spirka Style), 150 RPM, 800mm PO/TU – 32 available

CABLERS:

[CBR1316](#) – Dynamex 30" Single Twist Cabling Line, Model STC-30TRW (800 RPM), (2) Dual Shaft Driven Payoffs (Spring Load Dancers), (2) 14" Demar Concentric Tapers, Left to Right

[CBR1316.1](#) – Dynamex 30" Single Twist Cabling Line, Model STC-30TRW (800 RPM), (2) Dual Shaft Driven Payoffs (Multi Wrap Dancers), (2) 14" Demar Concentric Tapers, Left to Right

[CBR1318](#) – Webster 30" Rotating Takeup (shaft style) RR8.30, L&B Dual Wheel Rotating Capstan, Concentric Taper, Right to Left

[CBR1318.1](#) – Webster 30" Rotating Takeup (shaft style) RR8.30, USM Concentric Taper, Right to Left

[CBR1319](#) – Dynamex 24" Single Twist Cabler, STC-24, Electronic Lay Control, 1250 RPM – 2 available

[CBR1320](#) – Custom Built 36" Drum Twister, Shaft Type, Concentric Taper, 2 – 16 position Shaft Payoff Racks

[CBR1321](#) – NEWMCO 36" Drum Twister, Shaftless, Screw Traverse, 18" 4 position Payoff Neutralizer (shaft type), 2 – 10 position Shaft Payoff Racks, 10/7.5HP DC Motors

[CBR1322](#) – Webster 22" Double Twist Twinner, Model DTW-22 with Dual Shaft Powered Payoff– 2 available

[CBR1323](#) – TEC 22" Double Twist Twinner, Model DTCA-560 with Pretwister, Powered Tape Payoff, Watson 2 position Shaft Payoff – 3 available

[CBR1324](#) – **Northampton** 560mm Double Twist Twinner, Model B560

[CBR1325.1](#) – **Watson-Kinrei** 560mm Double Twist Twinner, Model NB-560, Dual Capstan, Loading/Unloading, Uhing Traverse, 3000 RPM, with Dual Driven Shaftless Payoffs, Year 1995-2000 – 6 available

[CBR1326](#) – **Dongguan Qing Feng Electrical Machine** 12" Planetary/Rigid Cabling Line, 12W 6+6, Shaftless Cradles, Electric Brakes with Load Cell Feedback, Concentric Taping Head, 24"/22" Dual Capstan, 24" Traversing Reel Takeup, Yaskawa Drives, Siemens PLC

[CBR1327](#) – **Dynamex**, 36" Single Twist Cabling Line with USM Concentric Taper, Dual Longitudinal Tape Payoff, (2) Dual Driven Shaft Payoffs, 2 – 20 position **Webster** Shaft Payoff Racks, **Entwistle** 16" Neutralizer Payoff (converted to 24"), Reliance Flex Pak Drive

[CBR1328](#) – **WMCA** 42" Cord Twister, Closed Cradle, Shaft Type, Change Gears, NEW AC Vector Main Rotor Motor, NEW Electrical Cabinet, NEW Parker AC Vector Drives, NEW Allen Bradley Micrologic PLC, NEW Allen Bradley Panelview Plus Touchscreen, Concentric Taper

Extruders/Extrusion Lines:

[EXPL436](#) – **MPM** 1 1/2", 24:1 L/D Hi Temp Extrusion Line with Hopper and Loader, **Watson** 30" Shaftless Payoff, 6' Vertical Dancer, 12" Dual Driven Capstan, **Roots Tech** Preheater, Reliance DC Drive, Trough, **Clinton** Spark Tester, 12" **Webster** Vertical Belt Wrap Capstan, 2 – Vertical Dancer Accumulators (for fine and extra fine wire), **Webster** 24" Dual Parallel Axis Shaft Type Takeup (Traversing Frame)

[EXPL437](#) – **Rosendahl** High Temp Gas Injection Foam Extrusion Line, 630 mm **Liembach** Shaftless Driven Payoff, Vertical Tensioning Dual Wheel Capstan, Wire Calibration and Cleaning Stand. **Beta** MSC190L Preheater, 45mm **High Temp** Gas Injection Extruder, 36:1 L/D, **Maximator** Gas Injection and dosing system, 30mm **High Temp** Co-Extruder, 24:1 L/D, **Plasticolor** 2200 Dual Colormeter. 18mm **Gimac** Vertical **Hi Temp** Vertical Stripe Extruder, **Labotech** Loaders and Colormeters, **Woywood** Mixing and Dosing Unit, **Eurocarb** Extrusion Head, Cooling Trough, 300mm (12") 10 pass Multipass Capstan, Air Wipe. **Sikora** Centerview 8101, (2) **Sikora** Dual Axis Diameter Gauges, **Sikora** High Frequency Spark Tester, **Sikora** 2010 Capacitance Monitor, TRS250 Accumulator with Deflection Pulley, 1m DSL-1001 Dual Parallel Axis, Shaftless Takeup (for reel size from 355mm to 1066mm), **Rosendahl** Rio Intouch Line Controls, Year 2009, STILL INSTALLED

[EXPL439](#) – **Dongguan Qing Feng Electrical Machine** 35mm/25mm **Hi Temp** Co-Extrusion Line: 20" Shaftless Driven Payoff w/Dancer, **Online** Preheater, 35 mm **Hi Temp** Extruder 24:1 L/D, 25 mm **Hi Temp** Portable Co Extruder 24:1 L/D, **Hi-Temp** Crossheads, Water Trough with Air Wipe, **Clinton** Spark Tester, 12" (300 mm) Belt Wrap Capstan, Motorized Fine Wire Dancer, 30" Dual Shaft Type Takeup, 400mm Automatic Dual Reel Takeup with Auto Load/Unload, Yaskawa Servo Drives (NEW, NEVER INSTALLED)

[EXPL440](#) – **Royle** 2" Extrusion Line: 30" Dual Shaft Payoff, **Viteck** Vertical Accumulator, 2" **Royle** Extruder, 24:1 L/D, DC drives, 18" Belt Wrap Capstan, Vertical Dancer, Dual Parallel Shaft Traversing Reel Takeup

[EXPL441](#) – **Royle** 2" Extrusion Line, 24:1 L/D, with (2) **TEC** Dual Driven Payoffs, 20 position **Webster** Shaft Payoff Rack, Input Meter Capstan, **Wilson** Colormeter, 3 screws, Trough, **Gatto** Belt Caterpuller, **Clinton** Spark Tester, 30" Dual Parallel Shaft Traversing Reel Takeup, DC drives

[EXPL442](#) – **Berlyn** Extrusion Filler Line: 1", 24:1 **Berlyn** Extruder, Screw, Tips and Dies Crosshead with 4 strand die, Water Trough, Two Wheel Puller, 8 position Takeup with Hydraulic Traverse

[EXPL444](#) – **Royle** 1½", 24:1 L/D Extrusion Line Components with Roots Tech Preheater, Adjustable Center Crosshead, **PPE** Vacuum Loader, **Wilson** Colormeter

Rewind Lines:

[RWD632](#) – **TEC** 42"/24" Rewind Line: 42" TEC Shaftless Driven Takeup, 12" Dancer, 24" TEC Dual Shaft Rewinder, Model DSTU-24 with Independent Amacoil traverses, **EJR** Belt Type Counter. **Clinton** Spark Tester. Allen Bradley Panel View 600 Touch Screen

[RWD633](#) – Custom Built 36" Rewind/Packaging Line with 36" Shaftless Drag Brake Payoff, Belt Counter, **Clinton** Spark Tester, 36" Shaft Takeup with Stretch Wrap Dispenser

[RWD634](#) – **Sterling Davis Electric** 24" Dual Shaft Takeup, Left to Right, Clinton Spark Tester, Counter, 4 speed Gearbox (missing parts)

[RWD635](#) – Custom Built Manual Benchtop Rewind Station

[STP097](#) – **Huestis** Cut/Strip Line: 50" Drag Shaft Payoff, Counter, BJS046 and BJS1000 Strippers, 50" Shaft Tension Takeup

[CLR309](#) - **Tulsa** Scrap Coiler Line, Tulsa Model #M80 4.5 with Static Shaft Payoff Rack and Overhead Hoist System

STRIPERS:

[STRO55.1](#), [STRO55.2](#) – **Formulabs** Codemaster Band Marking/Spiral Striping Line Model 640 E with Clinton Spark Tester, 5' Vertical Oven and 24" Payoff/Takeup – 1 each available

TAPING LINES:

[TPR383](#) – **EJR** Dual Head Taping Line using Traverse Wound Tape Pads, 3500 RPM Head Speed, Photoeye Tension Feedback, Comtrex M-Trim Controller, (2) Shaft Type Driven Payoffs, Independently Driven Head and Capstans, 18" Belt Caterpuller, 30" Shaft Type Traversing Takeup, AC Vector drives, year 2011

[TPR384](#) – **Nanyang** Dual Concentric Taping Lines with (3) Payoffs, Dual Capstan 16" Traversing Takeup – 6 available

[TPR385](#) – **EJR** Triple Head Concentric Taping Line using Traverse Wound Tape Pads, 3500 RPM Head Speed, Photoeye Tension Feedback, Comtrex M-Trim Controller, (2) Watson Dual Shaft Driven Payoffs, 3 Rad Round Heaters, Independently Driven Head and Capstans, 18" Belt Caterpuller, 30" Shaft Type Traversing Takeup, year 2011

[TPR386](#) – **Demar** 18" Dual Concentric Taping Line with Dual Capstan and 30" Shaft Takeup – 3 available

[TPR387](#) – **EJR** Dual Head Taping Line using Traverse Wound Tape Pads, 3500 RPM Head Speed, Photoeye Tension Feedback, Comtrex M-Trim Controller, (2) 30" Shaft Type Drag Payoffs, Independently Driven Head and Capstans, 18" Caterpuller, 30" Shaft Type Traversing Takeup, Variable Speed Drives, year 2011

[TPR388](#) – **EJR** Dual Head Concentric Taping Line Model 200E-DHT, 3500RPM Max Head Speed with 18" Belt Caterpuller, 30" Shaft Type Traversing Takeup; Pitch: 0.5mm - 40mm Adjustable in 0.01mm steps, Tape Type: PTFE, Mica, Paper, Metal Laminated, Polyester, Kapton, Nomex Tape Width: 2 - 25 mm, Tape Thickness: 0.025 - 0.076 mm, Max Tape Pad Diameter: 140 - 305 mm, Bore Diameter: 76 - 78 mm, Max Weight: 2 - 9 kg, Tape Tension: 1 - 40 N, Adjustable Overlapping: 5 - 70%

[TPR389](#) – **Dongguan Qing Feng Electrical Machine** Dual Concentric Taping Line (Heads Disassembled) with Caterpuller, 20" Traversing Takeup, Heater, Freezer – 2 available

[TPR389.2](#) – **Dongguan Qing Feng Electrical Machine** Single Concentric Taping Line with Caterpuller, 20" Traversing Takeup, Heater, Freezer – 2 available

[TPR390.1](#) – **Demar** 18" Dual Concentric Taping Line with Dual Capstan, Heater and 30" Shaft Takeup (still installed)

[TPR391](#) – **USM** Single Head Taping Line using Traverse Wound Tape Pads, (2) 30" Shaft Type Drag Payoffs , Dual Wheel capstan, 30" Shaft Type Takeup

[TPR392](#) – **TEC** 14" Dual Concentric Taping Line with 3 – 16" Shaft type, Dancer Controlled Payoffs, 18" Belt Caterpuller, 16" Traversing Reel Takeup

MISCELLANEOUS:

[PAY2193](#) – **Webster** 22" Portable Powered Payoff with Dancer

[PAY2194](#) – **Webster** 22" Portable Powered Payoff with Dancer

[PAY2187](#) – **Davis Standard/Clipper** Flyer Payoff Jack, Model DC-6-A

[PAY2188](#) – **Davis Standard/Clipper** Flyer Payoff Jack, Model DF-8-A

[PAY2189](#) – **Davis Standard/Clipper** Flyer Payoff Jack, Model DF-6-A

[TKU1563](#) – Custom 30" Cantilever Shaft Takeup, Portable

[TST933.1](#) - **Hipotronics** Hi Voltage Tester ATS1020F221BR with Dual Safety Guarded Testing Stations/50 pair Fanboards

[PRN292](#) – **Leibinger** JET3 Inkjet Printers (13 available)

[PRN293](#) – **IMAJE** 9040 Inkjet Printers (16 available)

[MSC2625](#) – **Infra Pak** Stretch Wrapper

[MSC2626](#) – **Uniflo** Conveyor

[MSC2628](#) – **Acer** Surface Grinder AGS-1020AHD

[MSC2650](#) – **Chatillion** Portable Balance Beam Scale

[MSC2655](#) – **IMS** Gaylord Tilt Table

[OVN195](#), [OVN196](#) – **Blue M** Ovens (2 avail)

[OVN198](#) – **Weldotron** Walk In Oven

[MSC2690](#) – Work Benches

[MSC2685](#) – **MPress** Heat Press Model 1620

[PLA919](#), [PLA920](#) – Hopper Dryers

[TST934](#) – **Jones and Lamson** Optical Comparator

[TST938](#) – **Blue M** WaterBath

[TST942](#) – **Hewlett Packard** Model 4329A Hi Resistance Meter

[TST944](#) – **Ohaus** Balance Beam Scale – 45 pounds

[TST945](#) – **Emerson Apparatus** Rubber Buffer

[TST950](#) – **Gretag Macbeth** Ci5 Color Spectrophotometer (Color Scanner)

[MSC2670](#) – Hand Trucks (9 available)

[MSC2705](#) – Flammable Storage Cabinets (8 avail)

[MSC2686](#) – **Southworth** Pallet Pal Rotating Lift Tables (3 avail)

[MSC2711](#), [MSC2708](#) – **Toyota** Electric Tow Truck with Carts

[MSC2714](#) – **Greenerd** 3C Arbor Punch Press

[PRE237](#) – **WST** 1222FRA Preheater, 30000FPM, 300 degrees F, 460V

[REE368](#) – 30"Dx13.75"Tx16"OAWx16"Dx5"B, Steel Reels, Qty - 39

[REE369](#) – 48"Dx24"Tx28"OAWx24"Dx3"B Steel Reels, Qty - 29

[REE370](#) – 16"Dx9"Tx10.5OAWx 9"Dx 1.25"B Plastic Reels, Qty - 3159

[REE371](#) – 12"Dx10.5"Tx10"OAWx5"Dx1.5"B Plywood Reels, Qty - 142

[REE372](#) – 12"Dx6"Tx7"Dx1.5"B, Plywood Reels, Qty - 64

[REE373](#) – 12"Dx7"Tx5.5"Dx1.5"B, Plastic Reels, Qty - 361

[REE374](#) – 12"Dx10"Tx11.5"OAWx5"Dx1.5"B, Black Plastic Reels, Qty - 277

[REE375](#) – 16"Dx8"Tx9.25"OAWx8"Dx2"B, Plastic Reels/Metal Hub, Qty -51

[REE376](#) – 16"Dx9"Tx10.5"OAWx8"Dx1.25"B, Black Plastic Reels, Qty -221

[REE377](#) – 16"Dx10"Tx5"Dx1.5"B, Plywood Reels, Qty - 155

[REE378](#) – 16"Dx10"Tx10.5"OAWx8"Dx1.25"B, Plywood Reels, Qty - 180

[REE379](#) – 16"Dx10"Tx11.5"OAWx8"Dx2"B, Plastic Reels, Qty – 68

[REE381](#) – 16"Dx12"Tx6"D, Plastic Reels, Qty - 133

[REE382](#) – 18"Dx12"Tx12.5"OAWx8"Dx1.5"B, Plywood Reels, Qty - 58

[REE383](#) – 20"Dx12"Tx12.75"OAWx8"Dx1.5"B, Plywood Reels, Qty - 40

[REE384](#) – 22"Dx10"Tx12"OAWx11.25"D, Plastic/Metal Hub Reels, Qty - 180

[REE385](#) – 22"Dx12"Tx14"OAWx8"Dx1.25"B, Wood/Metal Reels, Qty - 316

[REE386](#) – 24" Plastic Reels, Qty - 16

[REE387](#) – 24"Dx12"Tx13"OAWx10"Dx1.5"B, Plywood Reels, Qty - 255

[REE389](#) – 24"Dx12"Tx13"OAWx17.5"Dx1.5"B, Plywood Reels, Qty - 14

[REE390](#) – 24"Dx14"Tx15.5"OAWx10"Dx5"B, Metal Reels, Qty - 37

[REE391](#) – 30"Dx14"Tx16"OAWx16"Dx1.5"B, Wood/Metal Reels, Qty - 92

[REE392](#) – 30"Dx15"Tx16"OAWx10"Dx1.5"B, Plywood Reels, Qty - 132

[REE393](#) – 30"Dx14.75"Tx17"OAWx10"Dx1.5"B, Wood/Metal Reels, Qty - 57

[REE394](#) – 36"Dx17"Tx20"OAWx16"Dx5"B, Wood/Metal Reels, Qty – 26

[REE395](#) – 42"Dx26"Tx29.5"OAWx14"Dx3"B, Wood Reels, Qty - 56

Assorted **Zumbach** Diameter/Capacitance Measuring Gages and Controllers

Office Partitions, Chairs (office and folding)

Pallet Lift Trucks (6 available), Floor Fans (14 available)

Wire & Plastic Machinery Corporation has the largest inventory of second-hand machinery for the wire, cable and optical fiber industries. We are the one stop shop for all your equipment needs. More details are available on www.wireandplastic.com.

Wire & Plastic Machinery Corp.
100 Franklin Street, Bristol, CT 06010
Tel: +1-860-583-4646
Email: info@wireandplastic.com

*To Unsubscribe, please direct reply to this email and add REMOVE to the Subject line



FOLLOW US ON [TWITTER](#)



LIKE US ON [FACEBOOK](#)



STAY CONNECTED ON [LINKEDIN](#)



SUBSCRIBE TO OUR [BLOG](#).