PLANT LIQUIDATION UPDATE



January 24, 2022

Wire & Plastic Machinery Corporation of Bristol, CT, USA recently announced the liquidation of the assets of the former Denardo Wire and Cable facility in Fitchburg, MA. Equipment is still installed and all will be available to ship direct from current site, AS IS, WHERE IS. The following items are the highlights of the available inventory and some items now include video links:

<u>CBR1394</u> - **New England Butt** 6+12, 24" (16" OAW) Planetary Cabling Line, Shaftless Cradles, Rope Brake Tensioning, 4 3/4" Thru Bore, 6+3 Filler Posts, 60" Floor Traversing Portal Takeup, 30" Dual Wheel Belt Wrap Capstan, (2) 3 head 16" **Niehaus** Eccentric Tapers, 54" **Heustis** Payoff, **Clinton** Spark Tester, 75HP DC Drive See Video

<u>CBR1395</u> - **New England Butt** 12 bay, 24" (16" OAW) Planetary Cabling Line, 6 Filler Posts, 16" Eccentric Taper. 24" Horizontal Belt Wrap Capstan, 54" Shaftless Takeup, 40 HP DC Drive **See Video**

<u>CBR1396</u> - 8 bay **Ferro**/12 bay **AFA**, 16" Planetary Cabling Line, 8 Filler Posts, 12" Concentric Taper, **Clinton** Spark Tester, 36" Belt Wrap Capstan, 36" Shaftless Takeup, DC Drives **See Video**

<u>CBR1397</u> - Carter F. Lloyd 30" (14" OAW) Drum Twisting Line, 24 position Payoff, 16" Concentric Taper, Clinton Spark Tester, AC Drive

<u>CBR1398</u> - 36" (18" OAW) Custom Single Twist Flyer Arm Cabler, 24" **NE/CFL** Core Payoff Neutralizer, 12 position 30" Shaftless, Drag Brake Payoffs, **Clinton** Spark Tester, (2) Longitudinal Taping Payoffs, Concentric Taping Head, DC Drives

See Video

<u>CBR1399</u> - 6.5", 6 wire Vertical Fine Wire Planetary Lines (2) <u>See Video</u>

<u>CBR1405</u> - 20" **Eastern** Double Twist Cabling Line, 12 position Shaftless, Drag Brake Payoff, (2) Longitudinal Tape Payoffs, Counter, **Clinton** Spark Tester <u>See Video</u>

CBR1403 - Kenrake 16' Double Twist Twinner, Inside-Out, 30" Shaft Takeup

CBR1404 - Custom 16" Double Twist Quadder, Inside-Out

EXPL479 - 3.5" Extrusion Line with 36" Shaft Style Payoff, 84" CF Lloyd Portal Shaftless Payoff, 14' Catenary Arm Dancer, 36" Clipper Dual Cone Flyer Payoff, (2) Reel Jacks, Belt Wrap Tensioner, Catenary Arm Dancer, Beta Preheater, MCS12, LM15-30, 3 ½" Davis Standard 24:1 L/D, Thermatic II Extruder, DC Motor, Hopper Loader, Water Trough, 24"Multi-pass Trough, 20' Over/Under, Gem Printer, Spark Tester, Diameter Gauge, 30" Horizontal Belt Wrap Capstan, 15' High Vertical Accumulator (2 sided), 14"/22" sheaves, 84" CF Lloyd Portal Shaftless Takeup, 24" Whitehead and Poole Dual Automatic Xover Shaftless Takeup See Video

EXPL480 - 2.5" Extrusion Line with 30" Entwistle Dual Cone Flyer Payoff, (2) Motorized Lift Reel jacks, 36" CFL Shaftless Driven Payoff, 10" Vertical Dancer, Beta preheater, C-560 Controller, 2.5" Davis Standard Extruder 24:1 L/D, Thermatic II, 50 HP DC Motor, Hopper Loader, Temperature and Drive Panel with SSD Drives, Texas Instruments PLC, Water Trough w/Motorized Retractable Section, Beta Diameter Gauge, Zumbach 15 XY ODAC gauge, Gem Printer type S-HS Marker, 10" Multi-pass Trough, 10' over under, Clinton HF-15 AC sparker, 24" Horizontal Belt Wrap Capstan, 5" Vertical Dancer, 24" Whitehead and Poole Dual Auto Xover Shaftless Takeup, 12", 15' Vertical Accumulator, Cable Clamp, 36" Shaftless Takeup See Video

EXPL481 - 2" Extrusion Line with 30" Clipper Dual Cone Flyer Payoff, (2) Reel Jacks, Welder, Clipper 3 Wheel Tensioner, 36' Shaftless Driven Payoff, 5" Vertical Dancer, Ground Wire Payoff, Beta Preheater, C560 Controller, 2" Davis Standard 24:1 L/D, Thermatic, Hopper loader, Comet Color Metering system, XY COM Operator Controller, 10' Section Stainless Steel Trough, Beta Diameter Gauge, Beta Neckdown Detector, Gem Super S MCH Printer, 14' Multi-pass Capstan, 8 x 8 sheaves, 10' over/under sections, Clinton Sparker, 24" Bi-Water Auto Xover Dual Shaftless Takeup See Video

<u>BRD512</u> – **Wardwell** 16 Carrier, Speedmaster 150, Wire Braiders, 36"X16" Frame, Head Guards (2)

See Video - All Braiders

<u>BRD512.2</u> – **Wardwell** 16C Speedmaster 150 Braiders, on Wire with Sound Enclosures, 36"x 16" Frames (5)

<u>BRD513</u> - **Wardwell** 16C Wire Braiders, Model G/H, 36"x16" Frames, Motorized, Sound Enclosure (5)

BRD514 - Wardwell 24C on Wire Rapid Cable Braider, with 36" Shaftless Takeup

<u>BPK111</u> – 30" **Coulter McKenzie** Barrel Packer with Vertical Capstan, Model S500/1/5

<u>RWD665</u> – 24"-24" Portable Shaft Style Rewinder, Single Frame, **Clinton** Spark Tester, Counter

<u>RWD666</u> – 36"-36" **NEWMCO** Rewind Line, 36" Shaftless Payoff, Counter, 36" Shaft Takeup, **Clinton** Spark Tester

<u>RWD667</u> - 64" to 64" Test Rewind Line, Shaftless Portal PO/TU, **Clinton** Spark Tester, Counter

See Video

PLA1005 - Novatec Dryer System, 4 Hoppers with Loaders on Single Steel Frame

PLA1007 - Gaylord Tilters (4 available)

<u>STR057</u> - **USM** Stripers, Model ST80-S (qty 3) **See Video**

STR058 - USM Striper, 36" PO/TU See Video

PRE261 – Roots Tech Preheater, 12 Kva

TKU1677 – 84" CF Lloyd Rim Drive Takeup

MSC3061 - Heim Group Rousselle Press, Model 15H

TST1084 - Hipotronics AC Dielectric Test Set Model 710-5

TST1084.1 - Hipotronics WB Series Open Short Locator

TST1084.2 - Hipotronics AC Dielectric Test Kit (up to 5 kVA)

<u>TST1085</u> - **Hewlett Packard** Model 8753B RF Network Analyzer; Model 85047A S-Parameter Test Set (300kHz-6GHz); Model 3577A Network Analyzer (5Hz-200Mhz); all on one portable cart

TST1086 - Jet Manual Press for Dumbbell Sample Cuts, 2 Dies

TST1087 - General Radio Impedance Bridge Type 1656

TST1088 - Soar Length Counter, Model 1510

TST1089 - Physical Testing Equipment Tensile Tester, Model J

OVN210 - Precision Scientific Oven, Model 625, Catalog #31058, Temperature Range 325C

Machine Shop Items, Reels, Raw Materials and more.

Interested parties are invited to call (860-583-4646) or email (info@wireandplastic.com) to get detailed quotations and/or to arrange onsite viewing.